IRSAP heat

ELECTRIC RADIATORS LIVING

INDEX

KEY INTRODUCTION 4 14 TESI Reversible radiator ORIGIN 20 (electronics always at the bottom) POLYGON 22 NOW Wifi electronic control 26 **QUADRAQUA** () () () 28 Wireless digital electronic control RELAX 32 SAX Horizontal and vertical installation (electronics always at the bottom) PIANO 36 RGB DEDALO 40 **RGB LED lighting** 42 **SEQUENZE** ୁ LED LED lighting White 44 **SUSTAINABILITY TECHNICAL DATA SHEETS** 49 IR remote control

THE FUTURE OF HEAT.

IRSAP looks to tomorrow with solutions that combine comfort and innovation.

Each solution is designed to revolutionise the concept of comfort, making it accessible without sacrificing elegance and efficiency.

A promise of excellence

- **High-quality materials** and impeccable production processes that guarantee absolute quality standards.
- Unmistakable style, capable of transforming any environment into an expression of refined personality.
- Advanced technology, designed for reliable performance and efficiency.
- **Genuine sustainability**, combining progress and environmental responsibility.

IRSAP does not just follow changes, it anticipates them. By realising solutions that evolve with the needs of today's world, it is committed to well-being and the environment.

Thus, with a long-term vision that makes innovation its beating heart, we anticipate change.

Discover the warmth that makes the difference.

Explore the full range of solutions on the IRSAP website and find the one that best suits your style and idea of well-being without compromise.

THE ONLY ROAD TO SUCCESS IS A SUSTAINABLE ONE.

Renewable energy, recycled packaging, carbon footprint certification.

But every day we strive to do more.



Energy efficiency.

We design home temperature management systems that combine comfort and efficiency. These systems are designed to optimise consumption and reduce energy waste, and are compatible with renewable generation systems such as heat pumps, offering a high level of comfort.



Raw materials, selected.

Our radiators are made of steel, an infinitely recyclable material. We use a shrink film made of 50% recycled plastic thanks to a dedicated circular economy project. We make concrete choices day after day to reduce environmental impact and waste of resources.



Certified commitment

Our sustainable vision is not just a goal, but a concrete commitment. This is why we at IRSAP have an ISO 14001-certified environmental management system and, in 2024, obtained the first ISO 14067 product certification for the carbon footprint of our TESI 3 multi-column tubular radiator. A journey that will continue into 2025, testifying to our commitment to a more responsible and environmentally conscious future.

TURN ON DESIGN, TURN OFF THE COLD.

Elegance and innovation, for tailor-made comfort.

Imagine heat that not only warms, but also tells your story. IRSAP transforms energy into emotion, combining contemporaneity and sophistication in a perfect embrace. Sophisticated lines and cutting-edge technology come together to create solutions designed for people who live spaces. Imagine a radiator that not only heats, but also illuminates any place with character and sophistication.

Origin Electric H 2000 mm W 600 mm Matt Black (K1)

A CHOICE LOADED WITH ADVANTAGES.

Reduced costs and effortless installation.



冉

Electrifying savings.

With the latest generation control electronics, IRSAP radiators not only warm spaces, but also reduce consumption. An intelligent way of living at the ideal temperature.

Quick installation.

Without masonry or plumbing work, radiators can be installed in no time. All you need is a power socket to switch on your comfort, without complications.

Perfect everywhere, all the time.



Renovation or new construction? IRSAP radiators adapt to every project, combining functionality, style and performance to revolutionise interiors.



INTELLIGENT HEAT.

Reduced costs and effortless installation.

IRSAP electric radiators offer **different control options** depending on the model, designed to meet different needs and adapt to your lifestyle. From the simplest solutions to the most advanced systems, each provides thermal comfort management and energy efficiency, giving you total, customised control.

1. THERMOSTAT

Wireless technology and precision.



If you are looking for a practical and precise system to manage your heating, the wireless thermostat is the ideal choice. Available for the **models QUADRAQUA, RELAX, DEDALO and SEQUENZE**, it provides intuitive control, allowing you to adjust temperature, on/off and optimal time programmes. Easy to install thanks to wireless technology, requires no structural modifications. In addition, intelligent functions such as open-window detection and ITCS ensure customised comfort and optimum energy efficiency.

2. NOW SYSTEM

Each room responds to your needs.

Imagine total control in your hands. With the IRSAP NOW app, you can manage the temperature of any room from your smartphone, wherever you are.

Each room has its own perfect climate, customisable to your habits. So technology and thermal comfort move at your pace.

The models compatible with this system are **ORIGIN, POLYGON, SAX, PIANO**.





Home automation at the centre.

IRSAP radiators don't just heat, they dialogue with the future. Thanks to compatibility with Alexa and Google Home, you can control them with your voice.

One command and well-being comes to life, integrating with your entire smart home system.



Advanced features.

IRSAP thinks of everything. From digital weekly programming to open-window detection, every function works to make your life easier.

And with geolocalisation, the ideal temperature adapts to your movements. This is our technology: designed to serve you, but without stress.



Smart consumption, real savings. Optimise is the key word. IRSAP NOW learns from your habits and, thanks to the Green Leaf indicator, cuts waste, guaranteeing measurable savings. Innovation that translates into a concrete benefit, for you and the environment.

3. INFRARED CONTROL

TESI Electric, tailor-made comfort.

TESI Electric revolutionises the way you experience thermal comfort. With the remote control in your hands, every room is under your control. Intuitive programming, features such as chrono, comfort mode, night saving and antifreeze allow you to adapt the heating to your needs, limiting waste. Every gesture is simple, every detail is designed to match contemporary style. Behind its clean and unobtrusive design lies a **patented technology that provides revolutionary efficiency for the electric radiator market**, offering a unique thermal comfort experience. A simple power socket is enough to transform any room into a space where performance and elegance coexist.



The remote control allows you to adjust the temperature and manage essential functions with just a few intuitive commands, offering convenient and uncomplicated operation. It requires no additional installation or configuration, ensuring maximum flexibility and adaptability in any environment.



THE HEAT GOES OUT, THE CHARM REMAINS.

Style does not stand still.

IRSAP radiators are not just complements, but choices that reflect personality and taste. Lines that sculpt spaces, shades that give life and details that leave their mark. Each element is customisable, allowing you to create a tailormade harmony. Because well-being is measured in degrees, but your home tells who you are.





ELECTRIC RADIATORS LIVING

IRSAP electric radiators: Technology, Efficiency and Design in a single solution

| | POLYGON |
|---|----------|
| | QUADRAQU |
| | RELAX |
| IRSAP radiators combine design, comfort and | SAX |
| technology. Thanks to advanced control electronics, they heat while reducing consumption. They can be | PIANO |
| installed easily, without any work: all you need is a socket. Ideal for renovations and new construction. | DEDALO |
| Perfect temperature, no stress. | SEQUENZE |

| AQUA | 26 |
|------|----|
| | 28 |
| | 32 |
| | 36 |
|) | 40 |
| IZE | 42 |
| | |

14

20

22

TESI

ORIGIN



Imagine turning energy into pure comfort. Elegance and technology meet to offer you an intelligent, silent and tailor-made heat experience. Every detail speaks of refinement and practicality, while the efficiency achieved thanks to the exclusive and patented technology of this product, guarantees maximum efficiency over the entire radiant surface. TESI not only combines functionality and design, but also enriches any room with its discreet presence and telling innovation. The result? Well-being that you experience, style that you admire.



- Patented high-efficiency resistor
- Infrared control
 Electronics to match
- the radiator
- Complete range with 11 models
- Simple installation
- Programmable operation
 Installation with right or left-hand control



The electrical heating element with patented IRSAP system has a digital electronic control with stop command, chrono, comfort, reduced night operation, antifreeze.

TESI 2 Electric 11 elements H 1853 mm W 555 mm Powder Pink (5V)





Three interpretations of excellence for uncompromising warmth. The TESI range of electric radiators is expressed through three distinct models, each carrying the same revolutionary technology in forms that dialogue with space. TESI 2, the elegant vertical novelty by IRSAP, for very modern spaces; TESI 3 embraces the classic proportions of the radiator, celebrating tradition with a contemporary touch; while TESI 5, with its bold and versatile design, frees heat from all architectural constraints, allowing installation even where walls do not exist. Three personalities, one mission: to transform the very concept of home comfort.

TESI 3 Electric

18 elements H 653 mm W 870 mm Matt Anthracite Grey (6V)



Free to express warmth everywhere. The **integrated feet** of TESI 5 are not mere supports, but interpreters of a new freedom of installation. Anchored firmly to the floor, they allow the radiator to stand with confident elegance, conquering large spaces and dialoguing harmoniously with large glass surfaces. A solution that transcends traditional architectural limits to bring TESI comfort into any environment, whatever its structure or layout.

RIBIRIES.

TESI 5 Electric 20 elements H 399 mm W 960 mm Agave (9N)



ORIGIN


Origin does not follow the rules, it rewrites them. Sleek, minimalist lines intertwine with smart technology that keeps you up to date, turning warmth into a tailor-made experience. It is not just a radiator, it is your ally in harmonising beauty and efficiency. Through your smartphone you adjust, schedule, live every moment wrapped in intelligent comfort.



- WiFi Electronics
- Smartphone programmable with AppNOW
- AppNOW controllable RGB LED
- Three heights available
- Simple installation
- VOC function
- Compatible with: Alexa, Google Home and IFTTT Protocol

ORIGIN embraces the room with a multi-coloured LED system with a refined gradation of intensity: powerful at the base, it fades elegantly upwards, creating a luminous atmosphere that evolves together with warmth, for a complete sensory experience where technology and design speak the same language.

ORIGIN Electric H 1800 mm W 500 mm Matt Ochre Yellow (4V) Design by Desall Tommaso Balladore



POLYGON Vertical

POLYGON, the most advanced electric radiator ever, is the perfect synthesis of Italian talent, design and engineering. POLYGON has been multi-awarded by international juries for its unsurpassed technological qualities and aesthetic concept.





- WiFi Electronics
- Smartphone programmable with AppNOW
- AppNOW controllable RGB LED
- Two heights available
- Simple installation
- VOC function
- Geofencing function
- Compatible with: Alexa, Google Home and IFTTT Protocol

The main feature of this radiator is the presence of a LED light with the possibility of colour variation and light intensity adjustment.

POLYGON vertical electric H 1800 mm W 500 mm Satin Black (30) Medium Grey (4D) Design by Desall Valentina Volpe





2021 DESIGN AWARDS









27





POLYGON Horizontal

RGB NÔW

POLYGON in its horizontal interpretation is enriched with an element that enhances its versatile soul: a shelf that is not only functional, but a statement of style. A design detail that transforms the radiator into a protagonist of the interior design, capable of combining the art of heat with the practical elegance of a supporting surface. An evolution that celebrates the beauty of the useful, making any space not only warmer, but infinitely more interesting.

POLYGON Horizontal Electric H 500 mm W 1800 mm Satin Black (30) Medium Grey (4D) Design by Desall Valentina Volpe



QUADRAQUA

QUADRAQUA, in its electric version, with its rigid, severe line almost the raison d'être of the function that goes beyond... Strongly square and modulated, by a unit of measurement that becomes proportion. ((© []]

- WiFi Electronics
- Two heights available
- Simple installationOpen window
 - Open window detection function
- Intelligent temperature control



QUADRAQUA Electric H 1828 mm W 300 mm Standard White (01) Design by Domenico De Palo

VALUENC

RELAX Vertical

RELAX Electric celebrates the encounter between formal rigour and sophisticated design, becoming an element that enhances and dialogues with any living space. Its minimalist profile is transformed into pure versatility, adapting with natural elegance to any installation and lending a touch of distinctive personality to any environment.


Freedom of choice is further expressed through the vertical and horizontal versions, for tailor-made comfort that meets every aesthetic and functional need.



• WiFi Electronics

- Three heights available
- Simple installation
- Open window detection
 function
- Intelligent temperature control

The RELAX radiator can be installed either horizontally or vertically.



RELAX Vertical Electric H 1963 mm W 616 mm Flame Red (7D)







RELAX Horizontal Electric H 663 mm W 1400 mm Agave (9N) I

SAX Vertical

SAX ELECTRIC redefines the aesthetic boundaries of the decorative radiator with the bold geometry of its square elements. An evolution that catches the eye and transforms space. Through your smartphone, you become the conductor of your comfort: adjust, programme and experience every moment wrapped in intelligent warmth that responds to your desires. Technology and design come together in an unprecedented thermal experience, where every detail tells a story of innovation and refinement.



• WiFi Electronics

- Smartphone programmable with AppNOW
- AppNOW controllable RGB LED (optional)
- Complete range with 10 models
- Simple installation
- VOC function
- Geofencing function
- Compatible with: Alexa, Google Home and IFTTT Protocol

The unique control electronics, perfectly integrated in the radiator, offer superior versatility by allowing the temperature to be managed not only via a smartphone. An intelligent system that combines convenience and advanced technology, providing thermal comfort control through different modes, for a customised heat experience that adapts to your daily preferences.

SAX Vertical Electric


8 elements H 1800 mm W 415 mm Satin Black (30) Design by Synthesis Design











The LED light turns the radiator into a true design object.

SAX Horizontal Electric H 575 mm W 1800 mm Matt white (J8)

PIANO Vertical

A perfect balance of design and technology gives life to PIANO, the furnishing radiator that redefines space with its bold, modern shapes. Each geometric element is designed to maximise efficiency in a contemporary aesthetic. Comfort becomes a tailor-made experience: thanks to smartphone control, you can manage the heat at any time, adapting it to your needs. Innovation and style come together in an intelligent system that turns heating into a gesture of pure elegance.





• WiFi Electronics

- Smartphone programmable with AppNOW
- AppNOW controllable RGB LED (optional)
- Complete range with
 10 models
- Simple installation
- VOC function
- Geofencing function
- Compatible with: Alexa, Google Home and IFTTT Protocol

Integrated electronics ensure advanced control, which can also be managed without a smartphone. An intelligent system that combines practicality and technology for tailor-made thermal comfort, adapting to your daily needs.

PIANO Vertical Electric 6 elements H 1800 mm W 443 mm Sunstone (2D)





| | _ |
|---|---|
| | |
| | |
| | _ |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | - |
| | |
| | |
| | _ |
| | |
| | |
| | - |
| | |
| | |
| | |
| | |
| | _ |
| • | |
| | |
| | |
| | |
| | |
| | |

PIANO Horizontal Electric H 667 mm W 1800 mm Agave (9N)



DEDALO

DEDALO is distinguished by its dynamic geometric lines, which create a harmonious visual effect with great aesthetic impact. The bold and sophisticated design expresses a strong and distinctive character, making it a furnishing element that enhances any room. Precision-worked steel defines its structure with elegance and rigour, while LED lighting insinuates itself between the shapes, creating striking plays of light and shadow that amplify the radiator's depth and charm.



- WiFi Electronics
- Two heights available Simple installation
- Open window detection
- function
- Intelligent temperature control



In the illuminated model, LED light is elegantly diffused between the geometries of the radiator, creating refined contrasts of light and shadow. This dynamic effect enhances shapes and gives depth, transforming the room with a touch of sophisticated atmosphere.

DEDALO Electric H 1600 mm W 660 mm Sablé (Y4) Design by Synthesis Design



SEQUENZE

The cuts that run through SEQUENZE are not mere interruptions of form, but artistic gestures that transform functionality into visual poetry. Each engraving enhances the perceived value of the object, creating a three-dimensional play where light and shadow dance together, revealing an intrinsic spirituality that transcends the concept of the radiator. () []

- WiFi Electronics
- Two heights available
- Simple installationOpen window detection
- function
- Intelligent temperature control

ITCS function for intelligent temperature control. This technology makes it possible to have the exact desired temperature at the set time.



SEQUENZE Electric


H 1735 mm W 500 mm Matt white (J8) Design by Angeletti & Ruzza




SWITCH ON YOUR IDEAL COMFORT.


| | | TESI ELECTRIC | SAX ELECTRIC | PIANO Electric | RELAX ELECTRIC | ORIGIN ELECTRIC | POLYGON ELECTRIC | DEDALO ELECTRIC | UENZE ECTRIC | DRAQUA ECTRIC |
|----------------------------|--|-------------------------|-----------------|--------------------------|--------------------------|---------------------------|----------------------------|---------------------------|-----------------|------------------|
| | | Ē | Ш | с <u>п</u> | R II | 0 11 | PO | DE | SEQ | QUA |
| _ | CONTROLS | | | | | | | | | |
| | Infrared Control Product programming and management via infrared remote control | • | | | | | | | | |
| Bisto H05 2 0. • • • | Thermostat Wireless technology and pressure | | | | • | | | • | • | • |
| | NOW System Control your radiator remotely using the IRSAP NOW app available on: | | • | • | | • | • | | | |
| | OPERATING MODES | | | | | | | | | |
| | Stand-by function It is possible to switch off the heating, the device remains waiting for a command from the user. | • | • | • | | • | • | | | |
| | VOC function Air quality control It measures the concentration of pollutants in the environment and the humidity in the room. | | • | • | | • | • | | | |
| | Multicoloured LED lighting system With the NOW App you can remotely vary the colour tone and intensity of the RGBW LED light integrated in the radiator. | | • optional | • optional | | • | • | | | |
| | White LED lighting system | | | | | | | optional | | |
| | Open window detection function If the radiator detects a sudden drop in temperature in the room, it automati- cally switches to antifreeze mode. | • | • | • | • | • | • | • | • | • |
| | Daily and weekly temperature programming and management | • | • | • | • | • | • | • | ٠ | • |
| | Intelligent temperature control Allows you to have the exact temperature at the set time by starting the product in advance. The product will self-learn the time required to heat the room at the desired time. | • | • | • | • | • | • | • | • | • |
| | Antifreeze function The radiator only heats the room if the air tempera- ture is below a set temperature. | • | • | • | • | • | • | • | • | • |
| | Key lock Function that can be activated to prevent settings from being changed voluntarily or unintentionally. | • | • | • | • | • | • | • | • | • |
| | Fil-pilot function Protocol allowing radiators to be managed in a centralised or individualised manner | • | • | • | | • | • | | | |
| | Geofencing function By activating this option, the system automatically switches from Home to Absent mode and vice versa, whenever system users enter or leave the geolocation radius, which can be set in the Irsap Now App. | | • | • | | • | • | | | |
| | Compatible with: Alexa, Google Home and IFTTT Protocol Works with alexa | | • | • | | • | • | | | |


TESI ELECTRIC







429







| 2-COLUMN TESI | | | | | | | CE |
|-------------------|-------------|-------|--------|-------------|-------|--------|-------------------------|
| Model | Elements | Depth | Height | Total width | Width | Weight | Electrical power |
| | no. | D mm | Hmm | W mm | W' mm | Kg | Watts |
| TESI 2 EH-1800-08 | 08 - 384 mm | 65 | 1853 | 420 | 384 | 34.5 | 750 |
| TESI 2 EH-1800-09 | 09 - 429 mm | 65 | 1853 | 465 | 429 | 39.0 | 1000 |
| TESI 2 EH-1800-11 | 11 - 519 mm | 65 | 1853 | 555 | 519 | 47.0 | 1250 |
| TESI 2 EH-1800-13 | 13 - 609 mm | 65 | 1853 | 645 | 609 | 56.0 | 1500 |










| 969 | 1 |
|------|---|
| | |
| 1005 | |




3-COLUMN TESI

| 3-COLUMN TESI | | | | | | | CE |
|------------------|--------------|-------|--------|-------------|-------|--------|-------------------------|
| Model | Elements | Depth | Height | Total width | Width | Weight | Electrical power |
| | no. | D mm | Hmm | W mm | W' mm | Kg | Watts |
| TESI 3 EH-600-10 | 10 - 474 mm | 101 | 653 | 510 | 474 | 21.5 | 500 |
| TESI 3 EH-600-12 | 12 - 564 mm | 101 | 653 | 600 | 564 | 25.5 | 750 |
| TESI 3 EH-600-15 | 15 - 699 mm | 101 | 653 | 735 | 699 | 31.7 | 1000 |
| TESI 3 EH-600-18 | 18 - 834 mm | 101 | 653 | 870 | 834 | 38.0 | 1250 |
| TESI 3 EH-600-21 | 21 - 969 mm | 101 | 653 | 1005 | 969 | 44.5 | 1500 |
| TESI 3 EH-600-27 | 27 - 1239 mm | 101 | 653 | 1275 | 1239 | 57.0 | 2000 |

TESI ELECTRIC

3985



| 5-COLUMN TESI | | | | | | | CE |
|------------------|-------------|-------|--------|-------------|-------|--------|-------------------------|
| Model | Elements | Depth | Height | Total width | Width | Weight | Electrical power |
| | no. | D mm | H mm | W mm | W' mm | Kg | Watts |
| TESI 5 EH-300-20 | 20 - 924 mm | 177 | 399 | 961 | 924 | 42,0 | 1000 |

PRODUCT SPECIFICATIONS:


pressed sheet steel manifolds; 25 mm diameter sheet steel tubes; 45 mm long elements (element pitch), complete with heat transfer fluid. TESI Electric is epoxy powder-coated in all Irsap colours (and RAL colours outside the catalogue). The electrical heating element has a digital electronic control with: stop command, chrono, comfort, reduced night operation, antifreeze. Transparent power cable with 1200 mm long schuko plug; single-phase power supply 230 V, 50 Hz, Class II, IP24; open window detection function.

STANDARD EQUIPMENT:

wall-mounting brackets with screws and dowels. Remote control for product programming and management.

Available colours: see colour chart at end of the catalogue.

SAX ELECTRIC



| Model | Depth | Height | Width | Weight | Electrical power |
|---------------------------------|-------|--------|-------|--------|-------------------------|
| | D mm | H mm | W mm | Kg | Watts |
| SAX Electric 500 Watt | 82 | 900 | 415 | 21.7 | 500 |
| SAX Electric 750 Watt | 82 | 900 | 575 | 30.6 | 750 |
| SAX Electric 1000 Watt | 82 | 1800 | 415 | 42.1 | 1000 |
| SAX Electric 1500 Watt | 82 | 1800 | 575 | 58.1 | 1500 |
| SAX Electric 1800 Watt | 82 | 1800 | 735 | 74.2 | 1800 |
| SAX Electric with 500 Watt LED | 82 | 900 | 415 | 21.7 | 500 |
| SAX Electric with 750 Watt LED | 82 | 900 | 575 | 30.6 | 750 |
| SAX Electric with 1000 Watt LED | 82 | 1800 | 415 | 42.1 | 1000 |
| SAX Electric with 1500 Watt LED | 82 | 1800 | 575 | 58.1 | 1500 |
| SAX Electric with 1800 Watt LED | 82 | 1800 | 735 | 74.2 | 1800 |

CE

PRODUCT SPECIFICATIONS:

Circular cross-section manifolds diameter 30 mm; steel sheet elements with rectangular cross-section 20x25 mm; complete with heat transfer fluid. Electric heating element equipped with WiFi electronic control:

Control your radiator remotely using the IRSAP NOW app available on:




Transparent power cable, bottom left for Horizontal, bottom right for Vertical, length 1200 mm, SCHUKO plug, Insulation class II, protection class IP24. Horizontal and vertical installation; in horizontal installation the LEDs must be downwards. VOC function (air quality control)

STANDARD EQUIPMENT: shelves for wall mounting with screws and dowels; multicolour LED lighting system (optional).

Available colours: see colour chart at end of the catalogue.

PIANO ELECTRIC



| Model | Depth | Height | Width | Weight | Electrical power |
|-----------------------------------|-------|--------|-------|--------|------------------|
| i iodel | D mm | Hmm | W mm | Kg | Watts |
| PIANO Electric 500 Watt | 80 | 900 | 443 | 21.2 | 500 |
| PIANO Electric 750 Watt | 80 | 900 | 667 | 32.0 | 750 |
| PIANO Electric 1000 Watt | 80 | 1800 | 443 | 40.3 | 1000 |
| PIANO Electric 1500 Watt | 80 | 1800 | 667 | 60.4 | 1500 |
| PIANO Electric 1800 Watt | 80 | 1800 | 891 | 80.4 | 1800 |
| PIANO Electric with 500 Watt LED | 80 | 900 | 443 | 21.2 | 500 |
| PIANO Electric with 750 Watt LED | 80 | 900 | 667 | 32.0 | 750 |
| PIANO Electric with 1000 Watt LED | 80 | 1800 | 443 | 40.3 | 1000 |
| PIANO Electric with 1500 Watt LED | 80 | 1800 | 667 | 60.4 | 1500 |
| PIANO Electric with 1800 Watt LED | 80 | 1800 | 891 | 80.4 | 1800 |

PRODUCT SPECIFICATIONS:

Circular cross-section manifolds diameter 30 mm; steel sheet elements with rectangular cross-section 50x10 mm; complete with heat transfer fluid. Electric heating element equipped with WiFi electronic control:

Control your radiator remotely using the IRSAP NOW app available on:




Transparent power cable, bottom left for Horizontal, bottom right for Vertical, length 1200 mm, SCHUKO plug, Insulation class II, protection class IP24. Horizontal and vertical installation; in horizontal installation the LEDs must be downwards. VOC function (air quality control)

STANDARD EQUIPMENT: shelves for wall mounting with screws and dowels; multicolour LED lighting system (optional).

Available colours: see colour chart at end of the catalogue.

CE

RELAX ELECTRIC



CE

| Model | Depth | Height | Width | Weight | Electrical power |
|---------------------|-------|--------|-------|--------|-------------------------|
| | D mm | H mm | W mm | Kg | Watts |
| RELAX Electric 580 | 35 | 663 | 1064 | 21.6 | 580 |
| RELAX Electric 770 | 35 | 663 | 1400 | 28.0 | 770 |
| RELAX Electric 1100 | 35 | 1963 | 616 | 34.3 | 1100 |
| RELAX Electric 1320 | 35 | 2163 | 616 | 37.7 | 1320 |

PRODUCT SPECIFICATIONS:

electric radiant plate; resistance heating system; electrical power output of the RELAX radiator: 580 to 1320 watts. Weekly programmable wireless digital electronic control.

Insulation class II, IP44; white power cable, length 1200 mm (cable outlet low left), SCHUKO plug.


STANDARD EQUIPMENT:

Wall connection kit; wireless receiver integrated on the plate with 2 LEDs indicating the mode of operation. Programmable wireless digital transmitter.

The RELAX Electric radiator can be installed either Vertically or Horizontally.

Available colours: see colour chart at end of the catalogue.

ORIGIN ELECTRIC



CE

| Model | Depth | Height | Width | Weight | Electrical power |
|----------------------------|-------|--------|-------|--------|-------------------------|
| | D mm | H mm | W mm | Kg | Watts |
| ORIGIN Electric 1200 x 500 | 74 | 1200 | 500 | 23.6 | 500 |
| ORIGIN Electric 1800 x 500 | 74 | 1800 | 500 | 37.2 | 750 |
| ORIGIN Electric 2000 x 600 | 74 | 2000 | 600 | 45.9 | 1000 |

PRODUCT SPECIFICATIONS:

Electric radiant plate. Electric heating element equipped with WiFi electronic control: Control your radiator remotely using the IRSAP NOW app available on:




Transparent power cable, length 1200 mm, SCHUKO plug (cable outlet bottom right) Insulation class II, protection class IP24.

STANDARD EQUIPMENT: wall mounting kit to match radiator; adjustable multicoloured LED lighting system.

Available colours: see colour chart at end of the catalogue.

POLYGON VERTICAL ELECTRIC



CE

| Model | Depth | Height | Width | Weight | Electrical power |
|------------------------------|-------|--------|-------|--------|-------------------------|
| | D mm | H mm | W mm | Kg | Watts |
| POLYGON Vertical Electric | 120 | 1800 | 500 | 34.5 | 750 |

PRODUCT SPECIFICATIONS:


Electric radiant plate. Electric heating element equipped with WiFi electronic control: Control your radiator remotely using the IRSAP NOW app available on:

App Store


Transparent power cable, length 1200 mm, SCHUKO plug (cable outlet bottom left) Insulation class II, protection class IP24.

STANDARD EQUIPMENT: wall mounting kit to match radiator; adjustable multicoloured LED lighting system.

Available colours: see colour chart at the end of the catalogue.



POLYGON HORIZONTAL ELECTRIC



CE

| Model | Depth | Height | Width | Weight | Electrical power |
|--------------------------------|-------|--------|-------|--------|------------------|
| | D mm | H mm | W mm | Kg | Watts |
| POLYGON Horizontal Electric | 200 | 500 | 1800 | 36.0 | 750 |

PRODUCT SPECIFICATIONS:

Electric radiant plate. Electric heating element equipped with WiFi electronic control: Control your radiator remotely using the IRSAP NOW app available on:

Available on the App Store Google Play

Transparent power cable, length 1200 mm, SCHUKO plug (cable outlet bottom left) Insulation class II, protection class IP24.

STANDARD EQUIPMENT: wall mounting kit to match radiator; adjustable multicoloured LED lighting system.

Available colours: see colour chart at the end of the catalogue.


FINISHES POLYGON



MATT LIGHT GREY Code 8N



Code 2C



Code 9N




AGAVE Code 9N




SATIN BLACK

MEDIUM GREY Code 4D

DEDALO ELECTRIC





CE

| Model | Depth | Height | Width | Weight | Electrical power |
|-------------------------------|-------|--------|-------|--------|-------------------------|
| | D mm | H mm | W mm | Kg | Watts |
| DEDALO Electric | 90 | 900 | 498 | 17.2 | 300 |
| | 90 | 1600 | 660 | 22.5 | 700 |
| DEDALO Electric with light | 90 | 900 | 498 | 17.2 | 300 |
| | 90 | 1600 | 660 | 22.5 | 700 |

520


electric radiant plate; resistance heating system. electric radiant plate; resistance heating system. Insulation class II, IP44. Insulation class II, IP44.

White power cable, length 1200 mm (cable outlet low left), SCHUKO plug. Wall-mounting system; wireless receiver integrated on the plate with 2 LEDs indicating the mode of operation. Wall-mounting system; wireless receiver integrated on the plate with 2 LEDs indicating the mode of operation. Optional LED lighting system

Optional LED lighting system

SEQUENZE ELECTRIC





| Model | Depth | Height | Width | Weight | Electrical power |
|-------------------|-------|--------|-------|--------|-------------------------|
| | D mm | H mm | W mm | Kg | Watts |
| SEQUENZE Electric | 90 | 845 | 500 | 19.7 | 260 |
| | 260 | 1735 | 1735 | 38.9 | 520 |

PRODUCT SPECIFICATIONS:

electric radiant plate; resistance heating system. Weekly programmable wireless digital electronic control. Insulation class II, IP44. White power cable, length 1200 mm (cable outlet low left), SCHUKO plug.

STANDARD EQUIPMENT:


Wall-mounting kit, wireless receiver integrated on the plate with 2 LEDs indicating the mode of operation.

Wall-mounting kit; wireless receiver integrated on the plate with 2 LEDs indicating the mode of operation.

Available colours: see colour chart at the end of the catalogue.

CE

QUADRAQUA ELECTRIC



CE

| Model | Depth | Height | Width | Weight | Electrical power |
|--------------------|-------|--------|-------|--------|-------------------------|
| | D mm | H mm | W mm | Kg | Watts |
| QUADRAQUA Electric | 300 | 1116 | 300 | 15.5 | 330 |
| | 300 | 1828 | 300 | 24.9 | 500 |

PRODUCT SPECIFICATIONS:

electric radiant plate; resistance heating system. Weekly programmable wireless digital electronic control. Insulation class II, IP44. White power cable, length 1200 mm (cable outlet at bottom centre of element), SCHUKO plug.

STANDARD EQUIPMENT:

Wall-mounting kit; wireless receiver integrated on the plate with 2 LEDs indicating the mode of operation. Programmable wireless digital transmitter.

Available colours: see colour chart at the end of the catalogue.

FINISHES



Matt Beige Ral 1019 • Code 3V



| G | |
|------------------------------------|--|
| Brown Ral 8017 • Code 09 | |
| R | |





Amaranth Ral 3003 • Code 06

R Flame Red Code 7D

G

Red Ral 3000 • Code 05



Matt Powder Pink Ral 3012 • Code 5V





Ral 8004 • Code 9U



lce Code 3P

۲



Matt Sage Green Ral 6021 • Code 2V



Grass Green Ral 6018 • Code N3

G

Forest Green Ral 6005 • Code 19



Agave Code 9N



Baltic Blue Code 1P



Matt Pastel Blue Ral 5024 • Code 1V



Matt Dove Blue Ral 5014 • Code 4P

G

Bluish Lilac Ral 4005 • Code R3



Azurite 3 Code 6C



Deep Blue Ral 5004 • Code 2F

G



Manhattan Grey Code 03

M

Matt Light Grey Code 8N



Pearl Grey Code L6



Metallic Titanium Grey Ral 9023 • Code L3



Medium Grey Code 4D



Matt Anthracite Grey Ral 7016 • Code 6V



Hammered Grey Code 32



Black Ral 9005 • Code 10



Graphite Black Code 18



Satin Black Code 30



Matt Black Code K1

G Glossy Matt R Rough Art direction and graphic design **Santacroce ddc**

Photographs **Quasar**

Rendering **Salaposa**

Print **Pixartprinting**

March 2025

IRSAP SPA 45031 Arquà Polesine (RO)

T. +39 0425 466 611 F. +39 0425 466 662

info@irsap.it www.irsap.com

IRSAP SPA 45031 Arquà Polesine (RO)

T. +39 0425 466 611 F. +39 0425 466 662

info@irsap.it www.irsap.com